

Kerrisons

Rx Only

Standard, Detachable and Specialty Bone Punches









Aesculap – a tradition of high quality.

Aesculap has manufactured KERRISON bone punches for over 100 years.

Throughout the world, "Made by Aesculap" is synonymous with high quality and durability.

Non-detachable KERRISON Bone Punch

Proven

Considered a classic for over 100 years. The graceful, slim design and excellent cutting properties are its hallmark.

From raw materials to KERRISON bone punch.

The high quality of the Aesculap KERRISON bone punches is a result of the long standing experience and quality awareness of our employees.




Skillfully hand-crafted by experts.

In order to meet the high demands of every operation, every single part is manufactured by hand and subsequently checked.

Non-Detachable - Silver





Non-Detachable - Silver

			Footplate			
Jaw Positio	on 40°, Upward	ls	Standard	Thin		
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)				
	1.0 mm	8.0 mm	FF715R	FF771R		
	1.5 mm	9.0 mm	FF638R	FF645R		
	2.0 mm	9.0 mm	FF717R	FF772R		
7"	2.5 mm	10.0 mm	FF639R	FF646R		
/	3.0 mm	10.0 mm	FF720R	FF773R		
	4.0 mm	12.0 mm	FF724R	FF769R		
	5.0 mm	12.0 mm	FF722R	FF770R		
	6.0 mm	12.0 mm	FF726R	-		
	1.0 mm	8.0 mm	FF691R	FF661R		
	1.5 mm	9.0 mm	FF649R	FF658R		
	2.0 mm	9.0 mm	FF737R	FF662R		
8"	2.5 mm	10.0 mm	FF657R	FF659R		
0	3.0 mm	10.0 mm	FF738R	FF663R		
	4.0 mm	12.0 mm	FF727R	FF664R		
	5.0 mm	12.0 mm	FF728R	FF665R		
	6.0 mm	12.0 mm	FF729R	-		
	1.0 mm	8.0 mm	FF674R	FF734R		
	2.0 mm	9.0 mm	FF682R	FF746R		
9"	3.0 mm	10.0 mm	FF683R	FF747R		
	4.0 mm	12.0 mm	FF684R	FF748R		
	5.0 mm	12.0 mm	FF685R	FF749R		
	1.0 mm	8.0 mm	FF696R	-		
	2.0 mm	9.0 mm	FF686R	FF666R		
11"	3.0 mm	10.0 mm	FF687R	FF667R		
	4.0 mm	12.0 mm	FF688R	FF668R		
	5.0 mm	12.0 mm	FF689R	FF669R		

low Position 40° Downwards		Footplate			
Jaw Position 40°, Downwards			Standard	Thin	
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)			
	1.0 mm	8.0 mm	FF711R	FF781R	
	2.0 mm	9.0 mm	FF712R	FF782R	
7"	3.0 mm	10.0 mm	FF713R	FF783R	
	4.0 mm	12.0 mm	FF714R	-	
	5.0 mm	12.0 mm	FF725R	-	

low Position	n 40° Down	Footplate	
Jaw Positio	on 40°, Downw	Standard	
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)	
9"	2.0 mm	8.0 mm	FF692R
9	3.0 mm	10.0 mm	FF693R

		Footplate	
Jaw Positio	n 90°, Upward	ds	Standard
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)	
	1.0 mm	8.0 mm	FF716R
	2.0 mm	9.0 mm	FF718R
7"	3.0 mm	10.0 mm	FF750R
	4.0 mm	12.0 mm	FF752R
	5.0 mm	12.0 mm	FF754R
	1.0 mm	8.0 mm	FF025R
	2.0 mm	9.0 mm	FF026R
8"	3.0 mm	10.0 mm	FF027R
	4.0 mm	12.0 mm	FF028R
	5.0 mm	12.0 mm	FF029R

L D :::	000 D	Footplate	
Jaw Positio	n 90°, Downw	Standard	
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)	
	1.0 mm	8.0 mm	FF741R
	2.0 mm	9.0 mm	FF719R
7"	3.0 mm	10.0 mm	FF721R
	4.0 mm	12.0 mm	FF742R
	5.0 mm	12.0 mm	FF723R
	2.0 mm	9.0 mm	FF828R
	3.0 mm	10.0 mm	FF829R
8"	4.0 mm	12.0 mm	FF830R
	5.0 mm	12.0 mm	FF831R
	6.0 mm	12.0 mm	FF841R


All non-detach	All non-detachable KERRISON punches are without Ejector								
						_			
Width (mm)	1.0	1.5	2.0	2.5	3.0	4.0	5.0	6.0	

Detachable - Silver


Detachable

- Easy disassembly and assembly without tools
- Efficient cleaning and sterilization

Disassembly in 3 Steps:







Detachable - Silver

			Footy	plate
Jaw Position	on 40°, Upward	ds	Standard	Thin
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)		
	1.0 mm	8.0 mm	FK900R	FK906R
	1.5 mm	9.0 mm	FK911R	FK923R
	2.0 mm	9.0 mm	FK901R	FK907R
7"	2.5 mm	10.0 mm	FK912R	FK924R
/	3.0 mm	10.0 mm	FK902R	FK908R
	4.0 mm	12.0 mm	FK903R	FK909R
	5.0 mm	12.0 mm	FK904R	FK910R
	6.0 mm	12.0 mm	FK905R	-
	1.0 mm	8.0 mm	FK960R	FK961R
	1.5 mm	9.0 mm	FK966R	FK968R
	2.0 mm	9.0 mm	FK913R	FK962R
8"	2.5 mm	10.0 mm	FK967R	FK969R
0	3.0 mm	10.0 mm	FK914R	FK963R
	4.0 mm	12.0 mm	FK915R	FK964R
	5.0 mm	12.0 mm	FK916R	FK965R
	6.0 mm	12.0 mm	FK917R	-
	1.0 mm	8.0 mm	FK918R	FK929R
	2.0 mm	9.0 mm	FK919R	FK925R
9"	3.0 mm	10.0 mm	FK920R	FK926R
	4.0 mm	12.0 mm	FK921R	FK927R
	5.0 mm	12.0 mm	FK922R	FK928R
	1.0 mm	8.0 mm	FK981R	FK980R
	2.0 mm	9.0 mm	FK986R	FK976R
11"	3.0 mm	10.0 mm	FK987R	FK977R
	4.0 mm	12.0 mm	FK988R	FK978R
	5.0 mm	12.0 mm	FK989R	FK979R

1 D ::: 400 D		Footplate		
Jaw Position 40°, Downwards		Standard	Thin	
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)		
	1.0 mm	8.0 mm	FK930R	FK936R
	2.0 mm	9.0 mm	FK931R	FK937R
7"	3.0 mm	10.0 mm	FK932R	FK938R
	4.0 mm	12.0 mm	FK933R	
	5.0 mm	12.0 mm	FK934R	-

L D 10	400 D	Footplate		
Jaw Positi	on 40°, Downy	Standard		
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)	/	
9"	2.0 mm	9.0 mm	FK943R	
9	3.0 mm	10.0 mm	FK944R	

Iana Danisia	00° H	Footplate		
Jaw Positio	on 90°, Upward	Standard		
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)		
	1.0 mm	8.0 mm	FK948R	
	2.0 mm	9.0 mm	FK949R	
7"	3.0 mm	10.0 mm	FK950R	
	4.0 mm	12.0 mm	FK951R	
	5.0 mm	12.0 mm	FK952R	

Laure Daniella	00° D	Footplate		
Jaw Positio	on 90°, Downw	Standard		
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)		
	1.0 mm	8.0 mm	FK954R	
	2.0 mm	9.0 mm	FK955R	
7"	3.0 mm	10.0 mm	FK956R	
/	4.0 mm	12.0 mm	FK957R	
	5.0 mm	12.0 mm	FK958R	
	6.0 mm	12.0 mm	FK959R	




Ejector	×	X	~	✓	~	✓	✓	✓
Width (mm)	1.0 ∩	1.5	2.0	2.5	3.0	4.0	5.0	6.0

Detachable - Noir™ Coated

- Easy disassembly and assembly without tools
- Efficient cleaning and sterilization
- Black Noir[™] coating prevents irritating light reflections
- Hard ceramic coating increases surface hardness and improves cutting characteristics


The black surface coating prevents distracting light reflection.

Assembly in 3 Steps:





Ejector – for easy removal of material.




Detachable - Noir™ Coated

			Footp	plate
aw Position	on 40°, Upward	ds	Standard	Thin
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)		
	1.0 mm	8.0 mm	FK900B	FK906B
	1.5 mm	9.0 mm	FK911B	FK923B
	2.0 mm	9.0 mm	FK901B	FK907B
7"	2.5 mm	10.0 mm	FK912B	FK924B
/	3.0 mm	10.0 mm	FK902B	FK908B
	4.0 mm	12.0 mm	FK903B	FK909B
	5.0 mm	12.0 mm	FK904B	FK910B
	6.0 mm	12.0 mm	FK905B	-
	1.0 mm	8.0 mm	FK960B	FK961B
	1.5 mm	9.0 mm	FK966B	FK968B
	2.0 mm	9.0 mm	FK913B	FK962B
8"	2.5 mm	10.0 mm	FK967B	FK969B
Ø	3.0 mm	10.0 mm	FK914B	FK963B
	4.0 mm	12.0 mm	FK915B	FK964B
	5.0 mm	12.0 mm	FK916B	FK965B
	6.0 mm	12.0 mm	FK917B	-
	1.0 mm	8.0 mm	FK918B	FK929B
	2.0 mm	9.0 mm	FK919B	FK925B
9"	3.0 mm	10.0 mm	FK920B	FK926B
	4.0 mm	12.0 mm	FK921B	FK927B
	5.0 mm	12.0 mm	FK922B	FK928B
	1.0 mm	8.0 mm	FK981B	-
	2.0 mm	9.0 mm	FK986B	FK976B
11"	3.0 mm	10.0 mm	FK987B	FK977B
	4.0 mm	12.0 mm	FK988B	FK978B
	5.0 mm	12.0 mm	FK989B	FK979B

Iam Danisia	- 00° H	d a	Footplate
Jaw Positio	n 90°, Upward	as	Standard
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)	
	1.0 mm	8.0 mm	FK948B
	2.0 mm	9.0 mm	FK949B
7"	3.0 mm	10.0 mm	FK950B
	4.0 mm	12.0 mm	FK951B
	5.0 mm	12.0 mm	FK952B





Specialty

Special

In addition to standard punches, Aesculap offers a portfolio of special bone punches for almost every surgical situation.

8 special bayonet-shaped and foraminotomy punches

Foraminotomy KERRISON Punch, Upbiting

- Classic non-detachable bone punch with an upbiting curved jaw for easy removal of bone material, especially from between the vertebral arches
- Provides improved access to the underside of the foramen


Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)	Item Number
	2.0 mm	10.0 mm	FF466R
200 100 100	3.0 mm	10.0 mm	FF467R
200 mm	4.0 mm	10.0 mm	FF468R
	5.0 mm	10.0 mm	FF469R

Bayonet-shaped KERRISON Punch, 40°, Upbiting

- Classic non-detachable bayonet-shaped bone punch for improved vision over the shaft and increased visibility of surgical site
- Easily used through a retractor tube for MIS procedures

Length (in)	Jaw Size Width (mm)	Working Length (mm)	Jaw Opening (mm)	ltem Number
	2.0 mm	170.0 mm	10.0 mm	FF496R
240 100 100	3.0 mm	170.0 mm	10.0 mm	FF497R
240 mm	4.0 mm	170.0 mm	10.0 mm	FF498R
	5.0 mm	170.0 mm	10.0 mm	FF499R





Specialty

Laminectomy - Standard Footplate

				Footplate - Standard	
Jaw Position	on 40°, Upward	ds	Non-Detachable Silver	Detachable Silver	Detachable Noir [™]
Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)			-
	2.0 mm	15.0 mm	FF677R	FK971R	FK971B
7"	3.0 mm	15.0 mm	FF678R	FK972R	FK972B
/	4.0 mm	15.0 mm	FF679R	FK973R	FK973B
	5.0 mm	15.0 mm	FF680R	FK974R	FK974B
	2.0 mm	15.0 mm	FF660R	FK970R	FK970B
	3.0 mm	15.0 mm	FF739R	FK982R	FK982B
8"	4.0 mm	15.0 mm	FF745R	FK983R	FK983B
	5.0 mm	15.0 mm	FF751R	FK984R	FK984B
	6.0 mm	15.0 mm	FF753R	FK985R	FK985B

Footplate - Standard

	Lavis Dalaidia	- 000 Hanner	d	
٠	Jaw Positio	n 90°, Upwar	as	Non Detachable Silver
	Length (in)	Jaw Size Width (mm)	Jaw Opening (mm)	
ı		3.0 mm	15.0 mm	FF136R
	7"	4.0 mm	15.0 mm	FF137R
	/	5.0 mm	15.0 mm	FF138R
		6.0 mm	15.0 mm	-
		2.0 mm	15.0 mm	FF086R
	8"	4.0 mm	15.0 mm	FF087R
		6.0 mm	15.0 mm	FF088R



All non detachable silver KERRISON laminectomy punches are without Eje
--

All detachable silver and detachable Noir" KERRISON laminectomy punches are with Ejector

Width (mm) 2.0 \(\text{3.0} \) 4.0 \(\text{5.0} \) 6.0 \(\text{5.0} \)

Organization and Protection of Surgical Instruments


Aesculap's Instrument Organization System (IOS) is an advanced system of organizing, storing and protecting your instrument set during transportation and sterilization.

■ Special storage rack JF120R for bone punches are available

Instrument protection increases instrument life
& reduces replacement cost


Instrument protection reduces the cost of repairs & set downtime

 Instruments organized with the Instrument Organization
System are guarded against damage from instrumenton-instrument impact during transportation



JF120R

Storage Rack for Bone Punches facilitate firm and easy storage during and after sterilization.



Information on disassembly and reprocessing of the KERRISON bone punches are also available on the KERRISON poster DOC736.

Through collaborative excellence we will improve the quality of a patient's life and meet the needs of the changing healthcare environment.

Technical alterations are possible. This leaflet may be used for no other purposes than offering, buying and selling of our products. No part may be copied or reproduced in any form. In the case of misuse we retain the rights to recall our catalogs and price lists and to take legal actions.

©2021 AESCULAP, INC. ALL RIGHTS RESERVED. PRINTED IN THE USA. Aesculap is an equal opportunity employer

See Instructions for Use for additional information including Contraindications, Warnings and Precautions.

Aesculap, Inc. | 3773 Corporate Parkway | Center Valley, PA | 18034 Phone 800-282-9000 | Fax 610-791-6886 | www.aesculapusa.com

Aesculap, Inc. - a B. Braun company